

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	(process\$4 or utiliz\$5 or implement\$5) near3 ("only" or alone or solely) adj ("layer 3" or (layer near2 IP) or "network layer")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 10:18
L3	157	(transition\$4 or chang\$4 or modif\$5) with (circuit near3 switch\$4) with (packet near3 switch\$4) with ("between" or "both" or simultaneous\$4 or either)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 10:19
L4	0	"Freebairn, Neil".in. and "Lewis, Roger".in. and @pd> "20081101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 10:35
L5	0	"newnew network innovations".as. and @pd> "20081101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 10:39
L6	106	709/226.ccls. and (@ad< "20011004" or @rlad< "20011004") and @pd> "20081101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 10:58
S10	3510	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:40
S11	2003	709/226.ccls. and (@ad< "20011004" or @rlad< "20011004")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:41
S12	3	"newnew network innovations".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:41
S13	3	"Freebairn, Neil".in. and "Lewis, Roger".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:41

S22	1	"709"/\$3.ccls. and (@ad<"20011004" or @rlad<"20011004") and (IP or (OSI adj layer adj "3")) near10 ("without" or "no" or skip\$4 or avoid\$4 or bypass\$4) near10 (OSI adj layer adj "2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:02
S23	3	"709"/\$3.ccls. and (@ad<"20011004" or @rlad<"20011004") and ("without" or "no" or skip\$4 or avoid\$4 or bypass\$4) near10 (OSI adj layer adj "2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:03
S24	5	(@ad<"20011004" or @rlad<"20011004") and (IP or (OSI adj layer adj "3")) near10 ("without" or "no" or skip\$4 or avoid\$4 or bypass\$4) near10 (OSI adj layer adj "2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:03
S25	12	(@ad<"20011004" or @rlad<"20011004") and ("without" or "no" or skip\$4 or avoid\$4 or bypass\$4) near10 (OSI adj layer adj "2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:04
S26	17	(@ad<"20011004" or @rlad<"20011004") and ("without" or "no" or skip\$4 or avoid\$4 or bypass\$4) near10 (OSI adj layer adj "3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:06
S27	34	(@ad<"20011004" or @rlad<"20011004") and ("without" or "no" or skip\$4 or avoid\$4 or bypass\$4) near5 (OSI adj layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:08
S33	20	(@ad<"20011004" or @rlad<"20011004") and (process\$5 or transmit\$4) near5 ("layer 3" or IP or "network layer") near8 (skip\$4 or avoid\$4 or bypass\$4) near3 (ATM or "layer 2" or "datalink layer" or "data link layer")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:23

S35	193	(@ad<"20011004" or @rlad<"20011004") and (process\$5 or transmit\$4) near5 ("only" or alone or solely) near5 ("layer 3" or (layer near2 IP) or "network layer")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:24
S38	16	(process\$4 or utiliz\$5 or implement\$5) near3 ("only" or alone or solely) adj ("layer 3" or (layer near2 IP) or "network layer")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:19
S39	10	(@ad<"20011004" or @rlad<"20011004") and (process\$4 or utiliz\$5 or implement\$5) near3 ("only" or alone or solely) adj ("layer 3" or (layer near2 IP) or "network layer")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:20
S45	65	(@ad<"20011004" or @rlad<"20011004") and "709"/\$3.ccls. and "logical link" same "physical link"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:34
S46	47	(@ad<"20011004" or @rlad<"20011004") and "709"/\$3.ccls. and "logical link" with "physical link"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:37
S49	10	(@ad<"20011004" or @rlad<"20011004") and "709"/\$3.ccls. and "logical link" with "physical link" and ("many" or multiple or several) near5 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:40
S79	287	(@ad<"20011004" or @rlad<"20011004") and (bypass\$5 or skip\$5 or avoid \$5 or "not" or "no") near2 packet near2 (reference or processing or direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:02
S109	4	synchronous near2 asynchronous near2 time near2 slot near2 interchange	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 14:32

8/ 4/ 2009 12:56:20 PM

C:\Documents and Settings\jmacilwinen\My Documents\EAST\Workspaces\529920.wsp